

ERRATUM

Open Access



CrossMark

# Erratum to: Imaging the implant-soft tissue interactions in total knee arthroplasty

Michel P. Bonnin<sup>1,2\*</sup> , Tom Van Hoof<sup>3</sup>, Arnoud De Kok<sup>3</sup>, Matthias Verstraete<sup>3</sup>, Catherine Van der Straeten<sup>3</sup>, Mo Saffarini<sup>4</sup> and Jan Victor<sup>3</sup>

## Erratum

Unfortunately, after publication of this article (Bonnin et al. 2016), it was noticed that the name of Mo Saffarini was incorrectly displayed as Moreno Saffarini. The corrected author list can be seen above and the original article has been updated to correct this error.

## Author details

<sup>1</sup>Centre Orthopédique Santy, 24 Av Paul Santy, Lyon, France. <sup>2</sup>Hôpital Privé Jean Mermoz, 55 Av Jean Mermoz, 69008 Lyon, France. <sup>3</sup>UZ Gent, De Pintelaan, 185 Gent, Belgium. <sup>4</sup>Accelerate Innovation Management, Rue de Hollandie 4-6, 1204 Geneva, Switzerland.

Received: 7 October 2016 Accepted: 7 October 2016

Published online: 11 October 2016

## Reference

Bonnin MP, Van Hoof T, De Kok A, Verstraete M, Van der Straeten C, Saffarini M, Victor J (2016) Imaging the implant-soft tissue interactions in total knee arthroplasty. *J Exp Orthop* 3:24. doi:10.1186/s40634-016-0061-5

\* Correspondence: bonnin.michel@gmail.com

<sup>1</sup>Centre Orthopédique Santy, 24 Av Paul Santy, Lyon, France

<sup>2</sup>Hôpital Privé Jean Mermoz, 55 Av Jean Mermoz, 69008 Lyon, France

Full list of author information is available at the end of the article